



SAUNA HARDWARE



From now on the lack of space is no longer an excuse for not having a sauna in your own home. This dream can also be easily realised in a city apartment. Great sauna experience even in small rooms! The space-saving sauna heaters from EOS allow to make your sauna fit almost any room.

EOS Saunatechnik delivers the perfect combination of design and innovation with "Made in Germany" quality. With our advanced control units sauna becomes an even greater pleasure.

Why not enhance your sauna with infrared radiators for more flexibility and fun. Indulge your body and mind with a perfectly relaxing and highly effective heat treatment at mild temperatures.

Let the dream of your own wellness oasis within your own four walls come true. Take good care of yourself!



EOS Inviso Mini

High-quality underbench sauna heater for dry Finnish sauna. Special design model for concealed installation under the sauna benches.

With only as little as 10 cm gap between the sauna wall and the screen wall Invisio Mini provides you the most space-saving solution on the market while still ensuring all benefits of a sauna bath with the possibility to make traditional water splashes. Includes safety grill and water splash kit.

3-fold height adjustment possible.

Power	Sauna cabin	Outer shell	Item no.	
3,0 kW	3 - 5 m ³	Unpainted	94.5708	
3,0 kW	3 - 5 m ³	Anthracite	94.5810	



EOS M3 W

Sauna heater with built-in control unit. For small size domestic sauna cabins 3 - 5 m³. Thermostatic temperature control 40 - 110 °C. Heating time up to 4 h. With premounted connection cable.

Control unit may be placed on the left or on the right hand side by swapping the outer shell.

Rock store fits approx. 8 kg stones.

Power	Sauna cabin	Outer shell	ltem no.
3,0 kW	3 - 5 m ³	Stainless steel	94.1921
3,0 kW	3 - 5 m ³	Anthracite	94.7348



EOS EmoTec D (dry Finnish sauna) Item no. 94.5559 anthracite / silver white / silver Item no. 94.6053 anthracite / black Item no. 94.7256 EOS EmoTec H (dry + humid sauna) anthracite / silver ltem no. 94.5560 white / silver Item no. 94.6054 anthracite / black Item no. 94.7257



EOS Mini W | EOS Bi-O Mini W

Very compact and space-saving, recommended for sauna size 3 - 5 m³. EOS Mini W for dry Finnish sauna and EOS Bi-O Mini W with built-in vaporizer. Inner and outer shell made of stainless steel. Vaporizer with manual filling. Drvrun protection with acoustic alarm. 2 l water tank.

Rock stores fit approx. 8 kg stones.

3,0 kW 3 - 5 m ³ Anthracite 94.6028 3,0 kW 3 - 5 m ³ Anthracite 94.6028 3,0 kW 4 - 6 m ³ Stainless steel 94.6864 EOS Bi-O Mini W Model Power 3,0 kW 3 - 5 m ³ Stainless steel 94.2444A 3,0 kW 3 - 5 m ³ Anthracite 94.6027 EOS IRS 30 Ceramic 300 W EOS IRS 35 RHK 350 W	Power	Sauna cabin	Outer shell	ltem no.	sions HWD: 900 x 185 x 65 mm.				
3,0 kW 3 - 5 m ³ Anthracite 94.6028 3,5 kW 4 - 6 m ³ Stainless steel 94.6864 EOS Bi-O Mini W Model Power 3,0 kW 3 - 5 m ³ Stainless steel 94.2444A 3,0 kW 3 - 5 m ³ Stainless steel 94.6027 EOS IRS 30 Ceramic 300 W EOS IRS 35 RHK 350 W	EOS Mini W				Completely assemble	d with 3 m silio	cone coated cab		
3,0 kW 3 - 5 m ³ Anthracite 94.6028 3,5 kW 4 - 6 m ³ Stainless steel 94.6864 EOS Bi-O Mini W Model Power 3,0 kW 3 - 5 m ³ Stainless steel 94.2444A 3,0 kW 3 - 5 m ³ Stainless steel 94.6027 EOS IRS 30 Ceramic 300 W BOS IRS 35 RHK 350 W	3,0 kW	3 - 5 m ³	Stainless steel	94.5650	with Wieland type plug. Installation in wall panel 90° corners.				
ModelPower3,0 kW3 - 5 m³Stainless steel94.2444AEOS IRS 30 Ceramic300 W3,0 kW3 - 5 m³Anthracite94.6027EOS IRS 35 RHK350 W	3,0 kW	3 - 5 m ³	Anthracite	94.6028					
3,0 kW 3 - 5 m ³ Stainless steel 94.2444A EOS IRS 30 Ceramic 300 W 3,0 kW 3 - 5 m ³ Anthracite 94.6027 EOS IRS 35 RHK 350 W	3,5 kW	4 - 6 m ³	Stainless steel	94.6864					
3,0 kW 3 - 5 m ³ Anthracite 94.6027 EOS IRS 35 RHK 350 W	EOS Bi-O Mi	ni W			Model	Power	ltem no.		
	3,0 kW	3 - 5 m³	Stainless steel	94.2444A	EOS IRS 30 Ceramic	300 W	94.1878		
	3,0 kW	3 - 5 m ³	Anthracite	94.6027	EOS IRS 35 RHK	350 W	94.4305		
3,5 kW 4 - 6 m ³ Stainless steel 94.6865 EOS IRS 50 RHK 500 W	3,5 kW	4 - 6 m ³	Stainless steel	94.6865	EOS IRS 50 RHK	500 W	94.4306		

Sauna control units

EOS Econ D2 (drv Finnish sauna) Item no. 94.6138

> EOS Econ H2 (drv + humid sauna) Item no. 94.6139

Rock store fits approx. 15 kg stones. Also available in other performance classes.

о.	Power	Sauna cabin	Outer shell
8	3,0 kW	3 - 5 m ³	Stainless ste
0	3,0 kW	3 - 5 m ³	Anthracite







EOS IRS 30 Ceramic | IRS 35/50 RHK

grill (black). Dimensions HWD: 560 x 185 x 65 mm.

EOS IRS 30 Ceramic: IR radiator for infrared warming cabins. With 300 W ceramic emitter, long-wave IR-C range. Reflector shield of polished aluminium. Housing made of zinc-plated steel. With protective flocked safety

EOS IRS 35/50 RHK: With 350 W or 500 W emitter (metal

tube with magnesia oxide type), long-wave IR-B and IR-C

range. With protective flocked safety grill (black), Dimen-

Control units for infrared cabins



EOS InfraTec Classic without cable set Item no. 94.4388 with cable set



EOS Vitae Compact

IR radiator for infrared warming cabins – dimensions HWD: 745 x 184 x 65 mm.

With Vitae guartz-glass emitter 350, 500 or 750 W. Full-spectre range – IR-A, IR-B and IR-C. With protective flocked safety grill (black).

Very intensive, highly effective heat with full power development in less than 1 second - therefore immediately ready for use and ideal for daily use. Dimmable - heat intensity can be regulated with a suitable control unit or dimmer to suit your personal preference.

Completely assembled with 3 m silicone coated cable, with Wieland type plug. Installation in wall panels or in 90° corners.

Power	ltem no.
350 W	94.7302
500 W	94.7303
750 W	94.7304



EOS Vitae Protect Compact

IR radiator for infrared warming cabins – dimensions HWD: 795 x 200 x 65 mm. With premounted connection cable.

With black quartz glass screen for additional dispersion of the infrared heat and humidity protection. Available with or without protective flocked safety grill (black). Full-spectre range – IR-A, IR-B and IR-C.

Installation in wall panels or in 90° corners.

Model	Power	Item no.
with protective grill	350 W	94.7293
with protective grill	500 W	94.7294
with protective grill	750 W	94.7295
without protective grill	350 W	94.7287
without protective grill	500 W	94.7288
without protective grill	750 W	94.7289

Vaporizer for infrared cabins



EOS InfraSteam Item no. 94.4140A





EOS InfraTec Premium Item no. 94.5255

STEAM ROOM EQUIPMENT



EOS SteamAttrac

Compact steam generator for steam rooms or saunas with humid operation. Very stable and reliable steam production even by unfavourable water quality.

Robust stainless steel outer housing. Durable stainless steel water tank with high-performance heating elements.

Dry run protection with automatic switch-off by overheating. Automatic drain after use. Reminder indicator for cleaning / descaling.

Without control unit. Requires an external control e. g. EOS Econ S2 or LSG Steam for EOS EmoTouch 3.

Also available in other performance classes.

Dimensions HWD:	330 x 450 x 270 mm
Power supply:	230 V 1N AC 50 Hz

I	Terrore sture Presentation Reservation Start time	016 38 50 4400	0	

EOS Econ S2

Electronic control unit for EOS SteamRock II Basic and EOS SteamAttrac steam generators.

Large multi-line LCD display with all parameters at a glance, menu navigation in 12 languages, guided setup.

Temperature control 30 - 50 °C, variable heating time limitation, output for light and ventilation fan (230 V), Timer function (single event and recurring timer).

Control for essence dosing (intensity and intervals), error messages, numerous special functions.

Temperature sensor with 5 m cable included in delivery. Sensor cable 20 m or 50 m optionally available.

Dimensions HWD: Power supply: 220 x 250 x 60 mm 230 V 1N AC 50 Hz



Essence dosing pump kit

High performance essence dosing pump for steam rooms. Recommended for the control unit EOS Econ S2.

Professional grade peristaltic pump with maximum dosing capacity up to 5 l/h with only 8 W power rating.

Robust metal housing in anthracite pearl effect finish for wall-mounting.

Kit includes 5 m pre-mounted power supply cable, brass essence injector with nozzle and 3/8" thread connection, PTFE essence dosing tube 6/4, mounting screws and dowels.

Dimensions HWD:	93 x 111 x 138 mm
Power supply:	230 V 1N AC 50 Hz

Model	Power	ltem no.	Model	ltem no.	Model	ltem no.
EOS SteamAttrac	3,0 kW	94.6838	EOS Econ S2	94.6296	Essence dosing pump kit	94.6297

Sauna accessories

For a completely relaxed sauna experience, everything should be tailored to your individual needs, down to the smallest detail. Rely on EOS quality products when it comes to sauna accessories.



Sauna Set N I Item no. 94.2863



Sauna Set Stainless Steel Item no. 94.4122

