

A measured step forward Time for change



Lutz-Jesco
Product range



Dosing pumps & accessories

The Smart series

Stepper motor-driven diaphragm dosing pumps 2.4 – 30.7 l/h up to 20 bar

The All-rounder series

Solenoid-driven diaphragm dosing pumps 0.5 - 15 l/h up to 16 bar

The Revolutionary series

Motor-driven diaphragm dosing pumps 4 - 1020 l/h up to 16 bar

The Robust series

Motor-driven diaphragm dosing pumps 3 – 8000 I/h up to 10 bar

The Strong series

Piston dosing pumps 0.1 – 4100 l/h up to 400 bar

The Flexible series

Peristaltic pumps 7 – 9000 ml/h up to 2 bar

The Optional series

Options for extending dosing pumps

Well thought-out down to the smallest detail

Material consistency from the suction line to the injection nozzle



Chlorine gas dosing for small and large chlorine plants

Small-size and large-scale chlorinators up to 200 kg/h

- Chlorinators and Vacuum regulators
- Chlorine evaporators
- Flow meter
- Control valves
- · Changeover switchs
- Ejectors / Non return valves

Accessories

- Aiding valves
- Manifolds
- Moisture eliminator
- · Expansion systems
- Diffuser
- Chlorine gas filter
- Injection nozzles for chlorine gas
- Safety blow-off valves
- Safety shutoff valves

Room and protective equipment

- · Gas warning devices
- ChlorStop
- Lifting beam / crane balance
- Drum scale / drum support
- Chlorine scrubber
- Chlorwache



Measuring and control equipment

Water sampling stations for:

- Drinking water
- · Bath water
- Industry

TOPAX - Controller and measuring amplifier

Gas warning devices

Sensors

- Temperature Sensors
- Measuring Chain pH/Redox
- Amperometric electrodes
- · Conductivity measuring cells

Software

TopView

Accessories

- · Buffer solutions
- Fittings
- Photometer









Disinfection systems

Chlorine dioxide systems

- EASYZON 5 (diluted solution)
- EASYZON D (diluted solutions)
- EASYZON C (concentrated solution)

Chlorine electrolysis systems

- EASYCHLORGEN
- MINICHLORGEN
- EASYSALT

Flow-through chlorine electrolysis

- TECHNOLINE (private)
- TECHNOMAT (private)
- TECHNOSTAR (commercial)

CHC dosing stations

- EASYCHLORMIX
- SAFETYCHLORMIX











Centrifugal pumps

Centrifugal pumps with gaskets

Centrifugal pumps with magnetic coupling





Water purification

Ultrafiltration

EASY-UF

Reverse osmosis

• EASY-RO

Electro deionisation

• EASY-E-DO

Ion exchanger

EASY-ION



System and process technology

Standard systems

- · Compact feed systems
- Mobile dosing stations
- Transportable dosing stations
- EASYPURE Polymer preparing and dosing station

Special solutions

- Skid-Systems
- Container systems







The Lutz-Jesco Apps for iPads and iPone is available from the iTunes App Store. Further information on this can be found at www.lutz-jesco.com

Phone: +49 5130 5802-0 Fax: +49 5130 580268 E-mail: info@lutz-jesco.com Website: www.lutz-jesco.com