POOL STONES by sofikitis

TheTsitouras Collection- Santorini-Greece

2019

### VALUES

Priority to customers
Commitment to Quality
Respect towards our personnel
Innovation
Efficiency

### Mission Vision

SOFIKITIS Poolstones mission is to manufacture and supply distinctively different products, offering leading edge results and innovative solutions to customers, ultimately, maximizing their satisfaction.

Over time, SOFIKITIS Poolstones has managed to establish itself as an innovating, efficient and reliable manufacturer of decorative natural stones for swimming pools and, thus to obtain a recognizable brand name, among the swimming pool industry.

Therefore, our vision is to continue the 12 years outstanding progress, as manufacturers in the field of decorative natural stones in-and-around the pool. Full customer's satisfaction, continuous research and development of our range of products remain as the most important dimensions of the corporate vision.

### Why SOFIKITIS Poolstones?

SOFIKITIS Poolstones 38-year experience and tradition in natural decorative stones processing, as well as the internationally recognized brand have highly contributed to our tremendous growth. Having as distinguishing elements the innovation, the expertise, the modern equipment, the customer-oriented philosophy and the well-trained manpower we seek to further raise the standards in the swimming pool industry.

In this ever-changing industry, we, at SOFIKITIS Poolstones, have managed to remain committed to the values that have distinguished us as the premier leader in the swimming pool accessories industry. Values such as commitment to quality, innovation, efficiency and respect towards our personnel have been fundamental to our effort to achieve full customer satisfaction and upon them our corporate identity has been built.


Rodos Princess Beach Hotel -Greece POOL S STONES by sofikitis

























# SKIMMER POOLS
















## OVERFLOW POOLS


















## MODULAR DRAIN GRATE













### MODULAR DRAIN GRATE

Having as distinguishing elements the innovation, the expertise, the modern equipment, the customer-oriented philosophy and the well- trained manpower we seek to further raise the standards in the swimming pool industry.


Based on this philosophy, modular drain grates have been designed and manufactured in order to be easily installed almost in every channel, no matter if it is new or old.




slope and half bullnose



RM5Z



RW4Z






























11

POOL STONES by sofikitis

Hotel Royal Apollonia-Cyprous

"Our highest client compliment is when we are told that we gave them something they didn't even know they wanted"






















### SIGNATURE OF ELEGANCE

13

Our signature in creating excellence and our high aesthetics design have become highly sought-after by clients who love projects that feel modern, with high quality products, inspiring simplicity with all true elegance.

POOL S STONES by sofikitis

Private house in England




SAFEWORLD

Welcome to our Wonderful, Luxurious, and Safe Poolstones world

All our sandblasted products have anti-slippery rate R13.


Children have small fingers and toes and are much more likely to become hurt by drains and grades in a pool. All our grade models are patterned with narrow slots, preventing serious injuries and ensuring increased safety.



### SERVICES

step 2

3D visualization



step 3

pool in action




### SOLVING PROBLEMS

Through the years and while using the pool ,despite having read instructions for proper use and maintenance of the decorative stones, several accidents are likely to occur, such as, breakage of the grate when removing from the channel, or staining, or damage from negligent pool care.

The company keeps two years digital record, with details of the customer's order, as well as color sample with regards to exact repetition of pool parts.

Further to the two years period, the file is destroyed, unless the customer asks to be kept up to 20 years, by paying a very low fee.













Walk-resistance measuring machine

Poolstones by Sofikitis products, can be accompanied by laboratory test results regarding their:

- Slip resistance
- Flexural strength
- Water drain capacity (applies to grates)
- Walk-resistance



work-in-process tracking system



Marble grate drainage testing machine



Laboratory flexural testing machine

#### STORE TECHNICAL SPECIFICATIONS

Every project is approached with the idea of prioritising product quality and optimal installation to ensure that functionality is achieved.

By infusing our projects with "green" products and bractices we remain focused on our commitment for environmental accountability.

Whether you are considering an addition, remodel or creating a custom project, it requires proper planning and a touch of inspiration. Let us help you build your dream project.

- \* Marble is a natural product, therefore color variations are to be expected.
- \* Waterproof treatment is highly recomended for all natural stones. The client shall be liable for the cost and the supervision of the process.
- \* Dimensions, quantities and treatments were made on the basis of the customer's suggestions and should be confirmed to begin manufacturing.
- \* Additional quantities, work & processom the offered are agreed only in writing.
- \* Adhesive is recommended for the installation of the products since mud is likely to cause
- various stains including salts stains.
- \* When using an epoxy grout, make sure to clean it immidiately after use.
- \* In order to prevent marble pool products' erosion:
- ~ Pool's water should be kept withn a pH level of 7.2 to 7.6 throughout the day
- ~ The level of the pool water's total alcalinity should be between 80ppm and 140 ppm
- ~ The chlorine levels should be lower than 5ppm
- ~ Before using chemical products in the pool channels, make sure to remove the drain grates first

Pool Copings	Coping Type A0	Coping Type B0	Coping Type CO	Coping Type D0	Coping Type E0	Coping Type F0	Coping Type IO	Coping Type B6
Available stone colors	Stone Cutting Dimensions			50	112	entre :		570
Kavala	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x4/2cm, 61x25x4/2cm, 50x25x4/2cm, 50x25x4/2cm	61x20x5cm, 61x25x5cm, 61x31x5cm
East Grey	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x3cm, 61x25x3cm, 61x31x3cm		61x20x5cm, 61x25x5cm, 61x31x5cm
Sunny	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x4/2cm, 61x25x4/2cm, 50x25x4/2cm, 50x25x4/2cm	61x20x5cm, 61x25x5cm, 61x31x5cm
California	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x3cm, 61x25x3cm, 61x31x3cm	61x20x3cm, 61x25x3cm, 61x31x3cm		61x20x5cm, 61x25x5cm, 61x31x5cm
Royal Marfil	60x20x3cm, 60x25x3cm, 60x31x3cm	60x20x3cm, 60x25x3cm, 60x31x3cm	60x20x5/3cm, 60x25x5/3cm, 60x31x5/3cm	60x20x3cm, 60x25x3cm, 60x31x3cm	60x20x3cm, 60x25x3cm, 60x31x3cm	60x20x3cm, 60x25x3cm, 60x31x3cm		61x20x5cm, 61x25x5cm, 61x31x5cm
Royal White	60x20x3cm, 60x25x3cm, 60x31x3cm	60x20x3cm, 60x25x3cm, 60x31x3cm		60x20x3cm, 60x25x3cm, 60x31x3cm	60x20x3cm, 60x25x3cm, 60x31x3cm	60x20x3cm, 0x25x3cm, 60x31x3cm		61x20x5cm, 61x25x5cm, 61x31x5cm

### STORE TECHNICAL SPECIFICATIONS

	DRAIN GRATE TYPE 0B	DRAIN GRATE TYPE 1B	DRAIN GRATE TYPE OC	DRAIN GRATE TYPE 1C	DRAIN GRATE TYPE 0D	DRAIN GRATE TYPE 1D	DRAIN GRATE TYPE 8M	DRAIN GRATE TYPE 8EU	DRAIN GRATE TYPE 0U
Pool Drain Grates									
Available stone colors	Stone Cutting Dimensions						Ver.	_	
Kavala	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	60x20x3cm, 60x25x3cm, 60x30x3cm	60x20x3cm, 60x25x3cm, 60x30x3cm	61x20x3cm, 61x25x3cm 61x30x3cm
East Grey	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	60x20x3cm, 60x25x3cm, 60x30x3cm	60x20x3cm, 60x25x3cm, 60x30x3cm	61x20x3cm, 61x25x3cm 61x30x3cm
Sunny	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	60x20x3cm, 60x25x3cm, 60x30x3cm	60x20x3cm, 60x25x3cm, 60x30x3cm	61x20x3cm, 61x25x3cm 61x30x3cm
California	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	60x20x3cm, 60x25x3cm, 60x30x3cm	60x20x3cm, 60x25x3cm, 60x30x3cm	61x20x3cm, 61x25x3cm 61x30x3cm
Royal Marfil	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	60x20x3cm, 60x25x3cm, 60x30x3cm	60x20x3cm, 60x25x3cm, 60x30x3cm	61x20x3cm, 61x25x3cm 61x30x3cm
Royal White	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	61x20x3cm, 61x25x3cm, 61x30x3cm	60x20x3cm, 60x25x3cm, 60x30x3cm	60x20x3cm, 60x25x3cm, 60x30x3cm	61x20x3cm, 61x25x3cm 61x30x3cm
Pool Trimmers Chopings Modular Grates	TRIMMER TYPE T1	TRIMMER TYPE T2	TRIMMER TYPE T3	Coping Type CH1	Coping Type H0	Channel Type CH1	Modular grate 3z (reinforced with engineer- ing marble)	Modular grate 4z	Modular grate 5z
Available stone colors	Stone Cutting Dimensions		**************************************	•		^:	•	•	
Καβάλας	61x10x3cm, 61x15x3cm, 61x20x3cm	61x10x5cm, 61x15x5cm, 61x20x5cm	61x10x3cm, 61x15x3cm, 61x20x3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm	External length:61cm, External width: 25cm, External height: 17cm		3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm	3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm
East Grey	61x10x3cm, 61x15x3cm, 61x20x3cm	61x10x5cm, 61x15x5cm, 61x20x5cm	61x10x3cm, 61x15x3cm, 61x20x3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm	External length:61cm, External width: 25cm, External height: 17cm	3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm	3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm	3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm
Σάνυ	61x10x3cm, 61x15x3cm, 61x20x3cm	61x10x5cm, 61x15x5cm, 61x20x5cm	61x10x3cm, 61x15x3cm, 61x20x3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm		3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm		
Καλιφόρνια	61x10x3cm, 61x15x3cm, 61x20x3cm	61x10x5cm, 61x15x5cm, 61x20x5cm	61x10x3cm, 61x15x3cm, 61x20x3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm		3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm		
Royal Marfil	61x10x3cm, 61x15x3cm, 61x20x3cm	61x10x5cm, 61x15x5cm, 61x20x5cm	61x10x3cm, 61x15x3cm, 61x20x3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm	61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm	External length:61cm, External width: 25cm, External height: 17cm		3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm, 5x30x3cm	3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm, 5x30x3cm
Royal White	61x10x3cm, 61x15x3cm, 61x20x3cm		61x10x3cm, 61x15x3cm, 61x20x3cm					3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm, 5x30x3cm	3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm, 5x30x3cm










No 11 Overflow Systems




18

## Materials

(Marbles are natural products, therefore color variations are to be expected.)
















## Materials

rbles are natural products, therefore

19













POOLSTONES BY SOFIKITIS NATURAL STONE INDUSTRY

HEADQUARTERS (FACTORY): TRAHIA EPIDAURUS - GR 210 52

PHONE Nr:0030 2753071260 - FAX: 0030 2753071333

OFFICE: VOULIAGMENIS AVENUE 72

VOULA - GR 166 73

PHONE Nr.: 0030 2109689030 - FAX: 0030 2109689034 e-mail: info@poolstones.com - web site: www.poolstones.com

